Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND (("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4)) AND ("first method" with "first subclass" with "application-specific") AND (concurrent$2 or "same time" or synchronous$2 or simultaneous$2) with "second method" with "second subclass" with "application-specific") AND ((modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 ("first method" with "not" with "second method")).CLM.	US-PGPUB; USPAT	OR	ON	2006/02/15 16:07
L2	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND (("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4)) AND ("first method" with "first subclass" with "application-specific") AND (concurrent$2 or "same time" or synchronous$2 or simultaneous$2) with "second method" with "second subclass" with "application-specific") AND ((modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 ("first method" with "not" with "second method"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:19

L3	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND (("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4)) AND ("first method" with "first subclass" with "application-specific") AND (concurrent$2 or "same time" or synchronous$2 or simultaneous$2) with "second method" with "second subclass" with "application-specific")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:21
L4	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND ("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4)) AND ("first method" with "first subclass" with "application-specific")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:24
L5	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND ("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:26
L6	88	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:28
L7	2922	(concurrent$2 or "same time" or synchronous$2 or simultaneous$2) near (program$4 or writ$3 or design$3 or creat$3 or cod$3 or construct$3) near (software or instruction or code or algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:32

L8	0	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:32
L9	636	("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4))	US-PGPUB; USPAT	OR	ON	2006/02/15 16:06
L10	0	7 and 9	US-PGPUB; USPAT	OR	ON	2006/02/15 16:06
L11	0	(modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 ("first method" with "not" with "second method")	US-PGPUB; USPAT	OR	ON	2006/02/15 16:07
L12	0	(modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (method with "not" with method)	US-PGPUB; USPAT	OR	ON	2006/02/15 16:08
L13	0	(modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) with (method with "not" with method)	US-PGPUB; USPAT	OR	ON	2006/02/15 16:08
L14	0	(modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) same (method with "not" with method)	US-PGPUB; USPAT	OR	ON	2006/02/15 16:08
L15	1	(modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) and (method with "not" with method)	US-PGPUB; USPAT	OR	ON	2006/02/15 16:09
L16	5535	((717/108,114,116,119) or (718/1, 100,102,107) or (719/310,316)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/02/15 16:11
L17	4179	16 and (@ad<"20020228" or @rlad<"20020228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:12
L18	1216	(inherit$4 or acqui$6 or encapsulat$3 or pass$3 or recei$4) with ((concurrent$2 or simultaneous$2 or "same time") near (program$4 or cod$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:22
L19	17	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:22

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((multiple or numerous or pluralit$3 or many or various) near2 (modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 (behavi$3 or method or proce$5) near3 (concurrent$2 or "same time" or synchronous$2 or simultaneous$2)) AND (("first method" with "second method" with (instant$6 or creat$3 or duplicat$3 or produc$4)) AND ("first method" with "first subclass" with "application-specific") AND (concurrent$2 or "same time" or synchronous$2 or simultaneous$2) with "second method" with "second subclass" with "application-specific") AND ((modif$7 or chang$3 or edit$3 or updat$3 or upgrad$3 or patch$3) near2 ("first method" with "not" with "second method")).CLM.	US-PGPUB; USPAT	OR	ON	2006/02/15 15:15

Google™

Web   Images   Groups   News   Froogle   Local   more »

modify first method "not affecting" second met| Search   Advanced Search
Preferences

Web Results **1 - 10** of about **105,000** for **modify first method "not affecting" second method** . (0.56 seconds

Second Life | Terms of Service
... be given a 7-day trial period beginning with your **first** login to **Second** Life.
... If, for any reason, your credit card or other payment **method** cannot be ...
secondlife.com/corporate/tos.php - 71k - Cached - Similar pages

Data synchronization system and method based on modification ...
The data synchronization **method** of claim 22, wherein the **first** data and the **second**
data contain at least one corresponding field respectively, ...
www.freepatentsonline.com/6973472.html - 43k - Cached - Similar pages

Electrochemical sensor for determining analyte in the presence of ...
A **method** for determining the concentration of an analyte in the presence of an
... measuring the potential difference between the **first** and **second** reference ...
www.freepatentsonline.com/6623619.html - 47k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Full lecture: Genetic Engineering: Utopian Dream or Eugenic Nightmare?
Two basic **methods** are available for this. In the **first method**, ... A **second method**
which avoids these problems is to delete from the virus a gene which is ...
www.bbk.ac.uk/news/prarchive/genetictext.html - 41k - Cached - Similar pages

Formatting Paragraphs
Figure 10 illustrates this **method**. Paragraph Justification affects the text of
... The **first** ruler is inserted to impose the new format and the **second** ruler ...
www.nisus.com/NisusWriter/Compact/Manual/FormatPara.php - 36k - Cached - Similar pages

[PDF] SAMSys TECHNOLOGIES INC. Interim Report Q2 March 31, 2005 Toronto ...
File Format: PDF/Adobe Acrobat - View as HTML
Gross margin increased to 42.8% in the **second** quarter of fiscal 2005 ... **method** of
accounting to all stock-based payments, as set out in the CICA Handbook ...
www.samsys.com/files/ Interim%2005%20Q2%20Final%20Final.pdf - Similar pages

virtualCART FAQ:: shopping cart, shopping carts, ecommerce, e ...
"item" contains 10 separate fields, the **first** five of which are mandatory:.
cart-id ^ part number ^ description ^ cost ^ quantity. This **method** avoids having ...
www.vcart.com/faq/basic3_1.html - 31k - Cached - Similar pages

Characterization of Monospecies Biofilm Formation by Helicobacter ...
In the **first method**, individual respiratory activities of planktonic and biofilm
... The **second method** for quantitation involved direct counting of both ...
www.pubmedcentral.nih.gov/ articlerender.fcgi?artid=400600 - Similar pages

[PDF] Mini-Beta Lattice for the Femto-Second X-Ray Source at the ALS
File Format: PDF/Adobe Acrobat - View as HTML
The **first method** creates a vertical -bump at the. 1099. Proceedings of EPAC 2000,
Vienna, Austria ... The **second method** generates a vertical -wave ...
accelconf.web.cern.ch/accelconf/e00/PAPERS/TUP3A17.pdf - Similar pages

Americart FAQ - Tagging Your Pages
There are a lot of variants, but the basic **method** uses a very simple form ...
This **method** avoids having five separate "hidden" variables to convey the same ...
www.cartserver.com/americart/faq-tg.html - 12k - Cached - Similar pages

- Try your search again on <u>Google Book Search</u>

Gooooooooogle ▶

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **Next**

| Google Desktop | 9:30 AM |

Free! Instantly find your email, files, media and web history. <u>Download now</u>.

| modify first method "not affecting" se | Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Google™

Web   Images   Groups   News   Froogle   Local   **more »**

modify first method "not affecting" second met| **Search**   Advanced Search
                                                             Preferences

Web Results **11 - 20** of about **105,000** for **modify first method "not affecting" second method** . (0.19 secon

[PDF] SAMSys TECHNOLOGIES INC. Interim Report Q3 June 30, 2005 Toronto ...
File Format: PDF/Adobe Acrobat - View as HTML
reduced inventory levels built up during the **first** and **second** quarter. ...
method of accounting to all stock-based payments, as set out in the CICA Handbook ...
www.samsys.com/files/Interim05Q3Final.pdf - Similar pages
[More results from www.samsys.com]

UDMA vs PIO - A CURE for the WinXP transfer mode failback "feature"
At **first** XP will try downgrading within the same transfer **method**, eg: from UDMA
Mode 4 to UDMA Mode 3, ... **Modify**.. Transfer Mode = DMA if available ...
users.bigpond.net.au/ninjaduck/itserviceduck/udma_fix/ - 108k - Cached - Similar pages

Chapter 1: Getting Started
This lets you select the GST **method** you have chosen with the IRD. ... Here you
add, delete or **modify** the cashbook categories to suit your business. ...
www.acclaimsoftware.com/manual/chap1.htm - 32k - Cached - Similar pages

The University of Iowa - CIO Office - IT Security - Resources
Involves non-critical system(s), or is **not affecting** all of campus ... The **second**
method is to access the system via e-mail. This view only allows tickets ...
cio.uiowa.edu/ITsecurity/resources/I-CERT.shtml - 47k - Cached - Similar pages

Twisted Documentation: Deferred Reference
Requesting **method** attaches callbacks to Deferred object. ... that will re-raise
its **first** argument, **not affecting** further processing in the error case. ...
twistedmatrix.com/projects/ core/documentation/howto/defer.html - 41k - Cached - Similar pages

[PDF] Health inequalty
File Format: PDF/Adobe Acrobat
first method we estimate an individual patient level regression of health which
... The **second. method** is more direct: we regress individual health on ...
www.york.ac.uk/depts/econ/dp/0207.pdf - Similar pages

ARBITRATION
If the agreement to arbitrate prescribes a **method** of appointment of ... (i) $50000
in judicial districts embracing **first, second, second** class A or third ...
members.aol.com/statutesPA/42.Cp.73.html - 28k - Cached - Similar pages

Enforcing Arbitration Awards
Federal Act: The proper **method** for seeking to enforce an arbitration award under the
... Under both Acts, a party may seek to **modify** or correct an award, ...
www.lectlaw.com/files/adr15.htm - 27k - Cached - Similar pages

General info on Mastering Studios
This is the **second** most important aspect for mastering (the **first** being one's
... The **second method** is preferred by those specializing in classical, jazz or ...
www.manleylabs.com/Mastering_Newbie.html - 35k - Cached - Similar pages

Cisco Gigabit-Ethernet Optimized IPTV/Video over Broadband ...
The **first method** is to use the ATM VPI/VCI value associated with each AAL-5 frame.
The **second method** is to have the DSLAM and HAG support the use of 802.1q ...
www.cisco.com/.../ns340/ns394/ns158/ns88/

networking_solutions_design_guide_chapter09186a00804fe2cc.html - 251k - <u>Cached</u> - <u>Similar pages</u>

◀ Gooooooooooogle ▶

Result Page: **Previous** <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u>   **Next**

<pre>modify first method "not affecting" se</pre> [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Google™   Web   Images   Groups   News   Froogle   Local   **more »**

modify first method "not affecting" second metl   [Search]   Advanced Search
Preferences

Web Results **21 - 30** of about **105,000** for **modify first method "not affecting" second method** . (0.16 secon(

[PS] A Perturbation-Free Replay Platform forCross-Optimized ...
File Format: Adobe PostScript - View as HTML
Remote objects originate from a mapped **method** or another remoteobject. In the
first case, the address is provided to the interpreter through the process of ...
www.research.ibm.com/jalapeno/papers/ipdps01-local.ps - Similar pages

OSCN Found Document:Question Submitted by: The Honorable Jeff ...
The **first** funding **method** adopted by the Department included the following formula:
... The Department may **modify** its funding **method** if the Department ...
www.oscn.net/applications/ oscn/DeliverDocument.asp?citeID=438305 - 48k - Cached - Similar pages

CNET News.com Reports on Greasemonkey - MozillaZine Talkback
I think MoFo should provide web operators a **method** to detect what extensions ...
With Greasemonkey as with scribbling in the margin, I'm **not affecting** the ...
www.mozillazine.org/talkback.html?article=6274 - 40k - Cached - Similar pages

SCOPE 53 - **Methods** to Assess the Effects of Chemicals On ...
The **first** contributes to the prediction of the potential effects of single ...
The **second** type of **method** is aimed at assessing the potential ecological risk ...
www.icsu-scope.org/downloadpubs/scope53/chapter11.html - 123k - Cached - Similar pages

[PDF] Simple **method** for excitation of a Bose-Einstein condensate
File Format: PDF/Adobe Acrobat - View as HTML
after the **first** panel a and **second** panel b potential sweeping. SIMPLE **METHOD** FOR
EXCITATION OF A BOSE- . . . PHYSICAL REVIEW A 65 013604. 013604-3 ...
chaos.if.uj.edu.pl/~kuba/Articles/bose02.pdf - Similar pages

Progressive Browsing of 3D Models
The **method** of progressive encoding described above has some disadvantages. ...
method 1. **method** 2. to load **first** level (both **methods**). opt-eight.wrl ...
amp.ece.cmu.edu/Publication/Bengliang/mmsp/index.htm - 34k - Cached - Similar pages

IOVS -- Bachmann and Fahle 41 (10): 2870
Our purpose was to **modify** the **method** so that, ideally, all visual field defects
caused ... **First**, all visual field defects should be detected, and, **second**, ...
www.iovs.org/cgi/content/full/41/10/2870 - Similar pages

Dynamics of a suspension confined in a thin cell—[Physics of ...
IV a numerical **method** for solving the suspension dynamics is presented and it is
... The **first** row corresponds to , the **second** to , and the third to . ...
link.aip.org/link/?PHFLE6/17/093103/1 - Similar pages

David Ross -- PGP -- Holes, Weaknesses, and Flaws
The **first** form of this attack is a denial of service; the **second** form is fraud.
... Someone, somewhere has developed a **method** to decrypt any file encrypted ...
www.rossde.com/PGP/pgp_weak.html - 23k - Cached - Similar pages

[PS] Induction of Condensed Determinations Pat Langley \Lambda (Langley ...
File Format: Adobe PostScript - View as HTML
Condensing Induced Determinations As we have seen, ConDet uses a feature-selection
method, combined with a simple counting scheme, to induce a determination ...
cll.stanford.edu/~langley/papers/condet.kdd96.ps - Similar pages

◀ Gooooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112   **Next**

| modify first method "not affecting" se | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google™

modify first method "not affecting" second metl   **Search**   Advanced Search
Preferences

Web Results **31 - 40** of about **105,000** for **modify first method "not affecting" second method** . (0.13 second

[PDF] Authentication and Security Mechanisms in ASP.NET Web Applications
File Format: PDF/Adobe Acrobat
The authentication tag sets the authentication **method** for a given Web ...
have complete control, or have the ability to **modify** objects in memory. ...
documents.iss.net/whitepapers/asp_net_whitepaper.pdf - Similar pages

Quantum Cryptography: Privacy Through Uncertainty
In principle, an eavesdropper could deduce the decryption **method** by factoring
... As q increases, the probability of the photon passing through the **second** ...
www.csa.com/discoveryguides/crypt/overview.php - 56k - Cached - Similar pages

6502.org Tutorials: Compare Instructions
There is a **method** for doing comparisons beyond 8 bits that give an equality ...
First, the SO pin is seldom used, as noted above. **Second**, when the SO pin is ...
www.6502.org/tutorials/compare_beyond.html - 38k - Cached - Similar pages

Microsoft SQL Server 2000 Failover Clustering
If the backup succeeds in step one, exit with success, but if it fails (for any
reason), the **second method** is invoked. This would ensure that there is not a ...
www.microsoft.com/technet/prodtechnol/ sql/2000/maintain/failclus.mspx - 241k - Cached - Similar pages

Pmw todo list
When entering keys when list is displayed, scroll list to **first** entry ...
Add index() **method. Modify** all **methods** so that they accept Pmw.END as a pane ...
pmw.sourceforge.net/doc/todo.html - 40k - Cached - Similar pages

Blackwell Synergy: J Neurochem, Vol 74, Issue 4, pp. 1739-1748 ...
The **first method** is "tube equilibration." Vesicular suspensions (20-70 µl) were
mixed at the indicated times ... The **second method** is "filter equilibration. ...
www.blackwell-synergy.com/doi/ abs/10.1046/j.1471-4159.2000.0741739.x - Similar pages

[PDF] In this issue...
File Format: PDF/Adobe Acrobat
The **second method** translates the Xilinx PAD file or the Altera PIN file directly
... "sysclk" and "clk66," the timings of these paths are **not affecting** the ...
www.synplicity.com/literature/ syndicated/pdf/Syndicated_v2_i1.pdf - Similar pages

[PDF] 7. Trade-off examples inside software engineering and computer science
File Format: PDF/Adobe Acrobat - View as HTML
The goal is to introduce new functionality into. the system while **not affecting**
the systems existing quality attributes negatively. Trade-off **method** used ...
www.bth.se/tek/besq.nsf/(WebFiles)/ E8341AD0801A6D6CC12570690032F4A5/$FILE/chapter_7.pdf -
Similar pages

HOWTO: Multi Disk System Tuning: Technologies
RAID 1 is the most primitive **method** of obtaining redundancy by ... every user
can seemingly **modify** the system globally while **not affecting** other users. ...
www.tldp.org/HOWTO/Multi-Disk-HOWTO-6.html - 26k - Cached - Similar pages

[PDF] Segment Planning: A unifying abstraction for EP-based motor ...
File Format: PDF/Adobe Acrobat - View as HTML
multiplier **method** for a constraint optimization problem. The goal is to minimize

the. **first** part, which is the energy, while keeping the **second** part, ...
www.cs.rochester.edu/~xgu/research/EPControl.pdf - Similar pages

◀ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13   **Next**

| modify first method "not affecting" se | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google™   Web   Images   Groups   News   Froogle   Local   **more »**

[modify first method "not affecting" second met| Search   Advanced Search
                                                         Preferences

Web Results **41 - 50** of about **105,000** for **modify first method "not affecting" second method** . (0.13 secon

Alternative splicing in disease and therapy - Nature Biotechnology
The **first method** uses spliceosome-mediated RNA trans-splicing to mutant pre-mRNAs.
The other two **methods modify** mRNA pools in the cytoplasm using Group I ...
www.nature.com/nbt/journal/v22/n5/full/nbt964.html - Similar pages

[PS] Tracing Anonymous Packets toTheir Approximate Source Hal Burch ...
File Format: Adobe PostScript
We can circumvent this **second** problem by using UDP chargen instead of TCP, and
spoofing the packets, but this **method** provide little gain, as we usually get ...
www.usenix.org/publications/ library/proceedings/lisa2000/burch/burch.ps - Similar pages

Philadelphia Rare Books and Manuscripts: Medicine
First edition of this landmark manual on preserving a wide variety of foods. ...
Cheyne's Fluxionum Methodus Inversa treats of the mathematical **method** ...
www.prbm.com/interest/medicine-a-e.shtml - 41k - Cached - Similar pages

State aid to schools: Full funding and the resource equalizer ...
The **first** reduced by $24 million the $55 million penalty Chicago schools had incurred
... funds but would alter the **method** of payment to school districts. ...
www.lib.niu.edu/ipo/1977/ii770604.html - 36k - Cached - Similar pages

STARSHIP - interesting file-boot virus. Muttik IG (Internet: MIG ...
... of the **first** virus type is executable files and of the **second** type - boot ...
STARSHIP uses unusual **method**, simultaneously suppressing the attempts to ...
ftp.cerias.purdue.edu/pub/doc/viruses/starship.vir - 39k - Cached - Similar pages

Aurigma Image Uploader - FAQ
Java Embedding Plugin. The **first** plugin is required for the **second** one. ...
Use AddField **method**. It works in the same way as the **second method**, ...
www.aurigma.com/Products/ImageUploader/FAQ.aspx - 78k - Cached - Similar pages

Sample Contracts - Shandong Online Sales Regional Distribution ...
Shanda reserves the right to **modify**, supplement and interpret this Regulation.
... **Method** of recharge and rechargeable game Shanda web game online ...
contracts.onecle.com/shanda/ distributor.sales.2003.06.01.shtml - 54k - Cached - Similar pages

[PDF] Creating and Using Master Documents
File Format: PDF/Adobe Acrobat - View as HTML
When to use this **method**: If the original document uses only the Default page
style, is. numbered sequentially from the **first** page, and uses the Heading 1 ...
web.mit.edu/ooffice_v1.1.4/doc/MasterDocs.pdf - Similar pages

Biozentrum: Biennial Report 98 - 99
Protozoal cells do not **modify** the **first** mannose with ethanolamine phosphate and
... we have developed **methods** to systematically screen uncharacterized open ...
www.biozentrum.unibas.ch/report9899/riezman.html - 17k - Cached - Similar pages

[PDF] TESTING OF MICROPROGRAMS USING THE LOCKHEED SUE MICROINSTRUCTION ...
File Format: PDF/Adobe Acrobat
user to dynamically examine and **modify** the processor ... The **second** stage of the
debugging process ... the **method** of program construction used. We have ...

portal.acm.org/ft_gateway.cfm?id=807314&type=pdf - <u>Similar pages</u>

◄ Goooooooooooooogle ▶

Result Page: **Previous** <u>1</u> <u>2</u> <u>3</u> <u>4</u> 5 <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u><u>13</u><u>14</u>   **Next**

| modify first method "not affecting" se | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google